

02/04/99

FORM PTO-1449 U.S. DEPT. OF COMMERCE Patent and Trademark Office <b>LIST OF DISCLOSURES CITED BY APPLICANT</b> (Use several sheets if necessary)	Atty Docket No. P1097R1	Serial No. 09/183,824
	Applicant Raju	
	Filing Date 30 Oct 1998	Group <del>1634</del> 1644

**U.S. PATENT DOCUMENTS**

Examiner Initials		Document Number	Date	Name	Class	Subclass	Filing Date
TLC	1	5,047,335	10.09.91	Paulson et al.	_____	_____	
	2	5,096,816	17.03.92	Maiorella	_____	_____	
	3	5,116,964	26.05.92	Capon et al.	_____	_____	
	4	5,278,299	11.01.94	Wong et al.	_____	_____	
	5	5,510,261	23.04.96	Goochee et al.	_____	_____	
	6	5,565,335	15.10.96	Capon et al.	_____	_____	
	7	5,610,297	11.03.97	Powers	_____	_____	

**FOREIGN PATENT DOCUMENTS**

Examiner Initials		Document Number	Date	Country	Class	Subclass	Translation Yes	No
TLC	8	WO 92/20798	26.11.92	PCT	_____	_____		
	9	WO 94/11026	26.05.94	PCT	_____	_____		
	10	WO 95/19181	20.07.95	PCT	_____	_____		
	11	WO 95/23865	08.09.95	PCT	_____	_____		
	12	WO 96/30046	03.10.96	PCT	_____	_____		
	13	WO 97/30087	21.08.97	PCT	_____	_____		

**OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)**

TLC	14	Abraham et al., "p55 Tumor Necrosis Factor Receptor Fusion Protein in the Treatment of Patients With Severe Sepsis and Septic Shock" <u>Journal of the American Medical Assn.</u> 277:1531-1538 (1997)	
	15	Ashkenazi et al., "Protection Against Endotoxic Shock by a Tumor Necrosis Factor Receptor Immunoadhesin" <u>Proc. Natl. Acad. Sci.</u> 88:10535-10539 (1991)	✓
	16	Beale et al., "Structure and function of the constant regions of immunoglobulins" <u>Quarterly Reviews of Biophysics</u> 9:135-180 (1976)	
	17	Boeggeman et al., "Expression of deletion constructs of bovine $\beta$ -1,4-galactosyltransferase in Escherichia coli: importance of Cys134 for its activity" <u>Protein Engineering</u> 6:779-785 (1993)	
	18	Bolt et al., "The generation of a humanized, non-mitogenic CD3 monoclonal antibody which retains in vitro immunosuppressive properties" <u>European Journal of Immunology</u> 23:403-411 (1993)	
	19	Borman, "Carbohydrates' Complexities: Glycobiologists attain a more detailed understanding of the involvement of carbohydrates in intricate life processes" <u>C&amp;EN</u> 74:36-40 (1996)	
	20	Borys et al., "Ammonia Affects the Glycosylation Patterns of Recombinant Mouse Placental Lactogen-I By Chinese Hamster Ovary Cells in a pH-Dependent Manner" <u>Biotechnology and Bioengineering</u> 43:505-514 (1994)	
	21	Borys et al., "Culture pH Affects Expression Rates and Glycosylation of Recombinant Mouse Placental Lactogen Proteins by Chinese Hamster Ovary (CHO) Cells" <u>Bio/Technology</u> 11:720-724 (1993)	✓
	22	Boyd et al., "The effect of the removal of sialic acid, galactose and total carbohydrate on the functional activity of campath-1H" <u>Molecular Immunology</u> 32:1311-1318 (1995)	✓
	23	Cant et al., "Glycosylation and functional activity of anti-D secreted by two human lymphoblastoid cell lines" <u>Cytotechnology</u> 15:223-228 (1994)	

Examiner <i>TLC [Signature]</i>	Date Considered 5/29/99
------------------------------------	----------------------------

\*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449

U.S. Dept. of Commerce  
Patent and Trademark Office

Atty Docket No.

P1097R1

Serial No.

09/183,824

Applicant

Raju

Filing Date

30 Oct 1998

Group

1634 1699

## LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

## OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

- |    |  |   |
|----|--|---|
| 24 | Carter et al., "Humanization of an anti-p185 <sup>HER2</sup> antibody for human cancer therapy" <u>Proc. Natl. Acad. Sci.</u> 89:4285-4289 (1992)  | ✓ |
| 25 | Chatterjee et al., "Analysis of the Sequences of Human $\beta$ -1,4-Galactosyltransferase cDNA Clones" <u>Int. J. Biochem. Cell. Biol.</u> 27:329-336 (1995)   |   |
| 26 | Chotigeat et al., "Role of Environmental Conditions on the Expression Levels, Glycoform Pattern and Levels of Sialyltransferase for hFSH Produced by Recombinant CHO cells" <u>Cytotechnology</u> 15:217-221 (1994)  | ✓ |
| 27 | Chuang et al., "Elimination of N-linked glycosylation sites from the human IgA1 constant region: effects on structure and function" <u>Journal of Immunology</u> 158:724-732 (1997)  |   |
| 28 | Cox et al., "Effect of Media Composition on the Induction of Chorionic Gonadotropin by Sodium Butyrate in HeLa Cells" <u>In Vitro</u> 19(1):1-6 (1983)   |   |
| 29 | Donadel et al., "Human polyreactive and monoreactive antibodies: effect of glycosylation on antigen binding" <u>Glycobiology</u> 4:491-496 (1994)  | ✓ |
| 30 | Duncan and Winter, "The binding site for Clq on IgG" <u>Nature</u> 332:738-740 (Apr. 21, 1988)   |   |
| 31 | Edelman et al., "The covalent structure of an entire $\gamma$ G immunoglobulin molecule" <u>Proc. Natl. Acad. Sci. USA</u> 63:78-85 (1969)   |   |
| 32 | Fischer et al., "Reduction of Graft Failure by a Monoclonal Antibody (Anti-LFA-1 CD11a) After HLA Nonidentical Bone Marrow Transplantation in Children with Immunodeficiencies, Osteopetrosis, and Fanconi's Anemia" <u>Blood</u> 77(2):249-256 (January 15, 1991)                   | ✓ |
| 33 | Gazzano-Santoro et al., "A non-radioactive complement-dependent cytotoxicity assay for anti-CD20 monoclonal antibody" <u>Journal of Immunological Methods</u> 202:163-171 (1997)   |   |
| 34 | Goochee et al., "The Oligosaccharides of Glycoproteins: Bioprocess Factors Affecting Oligosaccharide Structure and Their Effect on Glycoprotein Properties" <u>Bio/Technology</u> 9:1347-1355 (1991)   | ✓ |
| 35 | Goochee et al., "The Oligosaccharides of Glycoproteins: Factors Affecting Their Synthesis and Their Influence on Glycoprotein Properties" <u>Frontiers in Bioprocessing II: Proceedings of Frontiers in Biochemistry II</u> (Boulder, Colorado, June 17-21 1990) pps. 199-240 (1992) |   |
| 36 | Harris et al., "Refined Structure of an Intact IgG2a Monoclonal Antibody" <u>Biochemistry</u> 36:1581-1597 (1997)  |   |
| 37 | Hart, "Glycosylation" <u>Current Opinion in Cell Biology</u> 4:1017-1023 (1992)  | ✓ |
| 38 | Hayter et al., "Glucose-Limited Chemostat Culture of Chinese Hamster Ovary Cells Producing Recombinant Human Interferon- $\gamma$ " <u>Biotechnology and Bioengineering</u> 39:327-335 (1992)  | ✓ |
| 39 | Hearing et al., "Isolation of Chinese Hamster Ovary Cell Lines Temperature Conditional for the Cell-Surface Expression of Integral Membrane Glycoproteins" <u>The J. of Cell Biology</u> 108:339-353 (1989)  | ✓ |
| 40 | Herrmann et al., "Large-Scale Production of a Soluble Human $\beta$ -1,4-Galactosyltransferase Using a <i>Saccharomyces cerevisiae</i> Expression System" <u>Protein Expr. Purif.</u> 6:72-78 (1995)   |   |
| 41 | Hourmant et al., "Administration of an Anti-CD11a Monoclonal Antibody in Recipients of Kidney Transplantation" <u>Transplantation</u> 58(3):377-380 (August 1994)  |   |
| 42 | Hsu et al., "A Comparative Study of the Peroxidase-antiperoxidase Method and an Avidin-biotin Complex Method for Studying Polypeptide Hormones with Radioimmunoassay Antibodies" <u>Am. J. Clin. Path.</u> 75(5):734-738 (May 1981)  |   |
| 43 | Hsu et al., "Differential N-Glycan Patterns of Secreted and Intracellular IgG Produced in <i>Trichoplusia ni</i> Cells" <u>The Journal of Biological Chemistry</u> 272:9062-9070 (1997)  | ✓ |

Examiner

*[Signature]*

Date Considered

5/29/99

\*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449

U.S. Dept. of Commerce  
Patent and Trademark Office

Atty Docket No.

P1097R1

Serial No.

09/183,824

Applicant

Raju

Filing Date

30 Oct 1998

Group

~~1634~~ / 644

## LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

## OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

- 44 Iwase et al., "Estimation of the Number of O-Linked Oligosaccharides per Heavy Chain of Human Serum IgA1 by Matrix-Assisted Laser Desorption Ionization Time-of-Flight Mass Spectrometry (MALDI-TOFMS) Analysis of the Hinge Glycopeptide" J. Biochemistry 120:393-397 (1996)
- 45 Jefferis et al., "Glycosylation of Antibody Molecules: Structural and Functional Significance" Antibody Engineering 65:111-128 (1997)
- 46 Jefferis et al., "Recognition sites on human IgG for Fcγ receptors: the role of glycosylation" Immunology Letters 44:111-117 (1995)
- 47 Jenkins et al., "Getting the glycosylation right: Implications for the biotechnology industry" Nature Biotechnology 14:975-981 (1996)
- 48 Kaminski et al., "Radioimmunotherapy of B-cell Lymphoma with [<sup>131</sup>I]Anti-B1 (Anti-CD20) Antibody" New England J. of Medicine 329:459-465 (1993)
- 49 Kim et al., "The Vascular Endothelial Growth Factor Proteins: Identification of Biologically Relevant Regions by Neutralizing Monoclonal Antibodies" Growth Factors 7(1):53-64 (1992)
- 50 Klama et al., "The Abnormalities in the Glycosylation of IgG" Reumatologia 34(1):26-30 (1996)
- 51 Kleene et al., "Expression of Soluble Active Human β1,4 Galactosyltransferase in *Saccharomyces cerevisiae*" Biochem. & Biophys. Res. Comm. 201:160-167 (1994)
- 52 Kotz et al., "Immunoglobulin G galactosylation deficiency determined by isoelectric focusing and lectin affino blotting in differential diagnosis of rheumatoid arthritis" Electrophoresis 17:533-534 (1996)
- 53 Kumpel et al., "Galactosylation of Human IgG Monoclonal Anti-D Produced by EBV-transformed B-lymphoblastoid Cell Lines is Dependent on Culture Method and Affects Fc Receptor-mediated Functional Activity" Hum. Antibod. Hybridomas 5:143-151 (1994)
- 54 Le Gros et al., "The Effects of Sodium Butyrate on Lymphokine Production" Lymphokine Research 4(3):221-227 (1985)
- 55 Liu et al., "Production of a Mouse-Human Chimeric Monoclonal Antibody to CD20 with Potent Fc-Dependent Biologic Activity" J. Immunol. 139:3521-3526 (1987)
- 56 Malhotra et al., "Glycosylation changes of IgG associated with rheumatoid arthritis can activate complement via the mannose-binding protein" Nat. Med. 1:237-243 (1995)
- 57 Maloney et al., "Phase I Clinical Trial Using Escalating Single-Dose Infusion of Chimeric Anti-CD20 Monoclonal Antibody (IDEC-C2B8) in Patients With Recurrent B-Cell Lymphoma" Blood 84:2457-2466 (1994)
- 58 McLaughlin et al., "Preliminary Report on a Phase III Pivotal Trial of the Anti-CD20 Antibody (MAB) IDEC-C2B8 in Patients (PTS) with Relapsed Low-Grade or Follicular Lymphoma (LG/F NHL)" Proc. Am. Soc. Clin. Oncol. 15:417 (1996)
- 59 Mizutani et al., "High Glucose and Hyperosmolarity Increase Platelet-derived Growth Factor mRNA Levels in Cultured Human Vascular Endothelial Cells" Biochemical and Biophysical Research Communications 187(2):664-669 (1992)
- 60 Morin et al., "cDNA of the immunoglobulin κ chain of an Epstein-Barr virus-transformed human lymphoid cell line: Partial sequence determination and bacterial expression" Proc. Natl. Acad. Sci. USA 82:7025-7029 (Oct 1985)
- 61 Mulkerrin et al., "Antibody-Mediated Cell Killing Depends Upon the Structure of the CH<sub>2</sub> Oligosaccharide" (Abstract for the Well-Characterized Biologicals meeting in San Francisco) (Jan 1998)
- 62 Ohlson et al., "Use of monoclonal antibodies for weak affinity chromatography" Journal of Chromatography A 758:199-208 (1997)
- 63 Parekh, "Effects of Glycosylation on Protein Function" Current Opinion in Structural Biology 1:750-754 (1991)

Examiner

*Linda Carter*

Date Considered

5/29/99

\*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609, draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

FORM PTO-1449

U.S. Dept. of Commerce  
Patent and Trademark Office

Atty Docket No.

P1097R1

Serial No.

09/183,824

Applicant

Raju

Filing Date

30 Oct 1998

Group

~~1634~~ 1644

## LIST OF DISCLOSURES CITED BY APPLICANT

(Use several sheets if necessary)

## OTHER DISCLOSURES (Including Author, Title, Date, Pertinent Pages, etc.)

- |    |  |   |
|----|--|---|
| 64 | Parekh et al., "Cell-Type-Specific and Site-Specific N-Glycosylation of Type I and Type II Human Tissue Plasminogen Activator" <u>Biochemistry</u> 28:7644-7662 (1989)   | ✓ |
| 65 | Park et al., "Enhanced $\beta$ -Galactosidase Production by High Cell-Density Culture of Recombinant <i>Bacillus subtilis</i> with Glucose Concentration Control" <u>Biotechnology and Bioengineering</u> 40:686-696 (1992)                    | ✓ |
| 66 | Press et al., "Radiolabeled-antibody Therapy of B-cell Lymphoma with Autologous Bone Marrow Support" <u>New England J. of Medicine</u> 329:1219-1224 (1993)  | ✓ |
| 67 | Presta et al., "Humanization of an Antibody Directed Against IgE" <u>J. Immunol.</u> 151(5):2623-2632 (September 1, 1993)  | ✓ |
| 68 | Provencher et al., "Estimation of Globular Protein Secondary Structure from Circular Dichroism" <u>Biochemistry</u> 20:33-37 (1981)  |   |
| 69 | Rademacher et al., "Re: Conservation and evolution of glycosylation sites on immunoglobulin-type domains" <u>Glycobiology</u> 3:418-419 (1993)   |   |
| 70 | Raju et al., "Glycoprotein: biological significance and methods for the analysis of complex carbohydrates of recombinant glycoproteins" <u>Biotechnology &amp; Applied Biochemistry</u> 24(Pt 3):191-194 (Dec 1996)                            |   |
| 71 | Schwientek et al., "Efficient intra- and extracellular production of human $\beta$ -1,4-galactosyltransferase in <i>Saccharomyces cerevisiae</i> is mediated by yeast secretion leaders" <u>Gene</u> 145:299-303 (1994)                        |   |
| 72 | Sheeley et al., "Characterization of Monoclonal Antibody Glycosylation: Comparison of Expression Systems and Identification of Terminal $\alpha$ -Linked Galactose" <u>Analytical Biochemistry</u> 247:102-110 (1997)                          | ✓ |
| 73 | St. John et al., "Immunologic Therapy for ARDS, Septic Shock, and Multiple-Organ Failure" <u>Chest</u> 103:932-943 (1993)  | ✓ |
| 74 | Stoppa et al., "Anti-LFA1 Monoclonal Antibody (25.3) for Treatment of Steroid-resistant Grade III-IV Acute Graft-versus-host Disease" <u>Transplant International</u> 4:3-7 (1991)   | ✓ |
| 75 | Tschiya et al., "Effects of Galactose Depletion from Oligosaccharide Chains on Immunological Activities of Human IgG" <u>The Journal of Rheumatology</u> 16:285-290 (1989)   | ✓ |
| 76 | Weitzhandler et al., "Analysis of Carbohydrates on IgG Preparations" <u>Journal of Pharmaceutical Sciences</u> 83:1670-1675 (1994)   |   |
| 77 | Werner et al., "Mammalian Cell Cultures, Part I: Characterization, morphology and metabolism" <u>Arzneim.-Forsch./Drug Res.</u> 43(10):1134-1139 (1993)  | ✓ |
| 78 | Werner et al., "Mammalian Cell Cultures, Part II: Genetic Engineering, Protein Glycosylation, Fermentation and Process Control" <u>Arzneim.-Forsch./Drug Res.</u> 43(11):1242-1249 (1993)  |   |
| 79 | Wittwer et al., "Glycosylation at Asn-184 Inhibits the Conversion of Single-Chain to Two-Chain Tissue-Type Plasminogen Activator by Plasmin" <u>Biochemistry</u> 29:4175-4180 (1990)   | ✓ |
| 80 | Wormald et al., "Variations in Oligosaccharide-Protein Interactions in Immunoglobulin G Determine the Site-Specific Glycosylation Profiles and Modulate the Dynamic Motion of the Fc Oligosaccharides" <u>Biochemistry</u> 36:1370-1380 (1997) | ✓ |
| 81 | Wright et al., "Effect of glycosylation on antibody function: implications for genetic engineering" <u>Trends in Biotechnology</u> 15:26-32 (1997)   |   |
| 82 | Wyss et al., "The structural role of sugars in glycoproteins" <u>Current Opinion in Biotechnology</u> 7:409-416 (1996)   | ✓ |
| 83 | Yamada et al., "Structural changes of immunoglobulin G oligosaccharides with age in healthy human serum" <u>Glycoconjugate Journal</u> 14:401-405 (1997)   | ✓ |

Examiner

*Jay C. Smith*

Date Considered

5/29/99

\*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.